



## MATERIAL SAFETY DATA SHEET

### 1. COMPANY AND PRODUCT IDENTIFICATION

**DUNCAN ENTERPRISES**  
5673 East Shields Avenue  
Fresno, CA 93727  
559-291-4444  
559-291-9444 (Fax)

#### EMERGENCY TELEPHONE NUMBERS

Health Emergency: 559-291-4444 7:00 am – 3:30 pm  
Pacific Standard Time  
Spill and Off-Hour  
Health Emergencies: 800-424-9300 U.S. and Canada  
703-527-3887 Outside U.S. and  
Canada (Collect)

**Product Name:** DUNCAN OA 901 ESSENCE  
**Product Category:** Solvent - Based Extender

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components	OSHA PEL	ACGIH TLV	CAS #	%
Camphor	2 ppm	2 ppm	76-22-2	15-20
Cyclohexanone	50 ppm	25 ppm	108-94-1	20-25
*o-Dichlorobenzene	50 ppm (C)	25 ppm	95-50-1	25-30
Stoddard Solvent	500 ppm	100 ppm	8052-41-3	20-25

#### Other Information

(C) Ceiling Limit Value

\*Withheld as a trade secret.

### 3. HAZARDS IDENTIFICATION

#### HMIS Hazard Ratings for Product

<b>Health:</b>	<b>3*</b>	0 = Minimal
<b>Flammability:</b>	<b>4</b>	1 = Slight
<b>Reactivity:</b>	<b>0</b>	2 = Moderate
<b>Personal Protection:</b>	<b>See Section 8</b>	3 = Serious
		4 = Severe
		* = Chronic Effects

#### Routes of Exposure

Exposure may be by inhalation and / or skin or eye contact, depending on conditions of use. To minimize exposure, follow recommendations for proper use, ventilation, and personal protective equipment.

#### Effects of Overexposure

Irritation of eyes, skin, and upper respiratory system. May cause nervous system depression. Extreme overexposure may result in unconsciousness and possibly death.

#### Signs and Symptoms of Overexposure

Headache, dizziness, nausea, and loss of coordination are indications of excessive exposure to vapors or spray mists. Redness and itching or burning sensation may indicate eye or excessive skin exposure.

#### Cancer Information

For complete discussion of toxicology data refer to Section 11.

## Duncan Enterprises Material Safety Data Sheet – OA 901 Essence

### 4. FIRST AID MEASURES

<b>Eye contact:</b>	Flush with water at least 15 minutes, and contact physician immediately.
<b>Skin contact:</b>	Wash with soap and water. Remove contaminated clothing and shoes. Wash or clean before reuse.
<b>Inhalation:</b>	Remove from exposure to fresh air. Give artificial respiration if not breathing. If breathing is difficult, give oxygen. Contact a physician immediately.
<b>Ingestion:</b>	Give milk or water. Do not give anything to an unconscious person. Induce vomiting. Contact a physician immediately.

### 5. FIRE FIGHTING MEASURES

**Flash Point:** 108°F (Setaflash Closed Cup)

**Flammable Limits** LEL : N/A UEL : N/A

**Extinguishing Media**

CO<sub>2</sub>, dry chemical or Chemical Foam. **Do not use water jet.**

**Special Fire Fighting Procedures**

Fire Fighters should wear NIOSH/MSHA approved pressure demand self-contained breathing apparatus.

**Unusual Fire And Explosion Hazards**

Toxic fumes may be evolved in a fire.

### 6. ACCIDENTAL RELEASE MEASURES

**Steps To Be Taken In Case Material Is Released Or Spilled**

Promptly absorb spill using inert materials such as sand, vermiculite or sawdust. Remove all sources of ignition. Cover drains to prevent entry into waterways. If a Reportable Quantity is exceeded for any ingredients, contact the National Response Center.

### 7. HANDLING AND STORAGE

**Precautions To Be Taken In Handling And Storing**

Keep away from, open flame, and sources of ignition. Store as flammable liquid. Store in a cool dry place. See Reactivity Section.

**Other Precautions**

Follow good industrial hygiene and housekeeping practices. Wash hands before eating, drinking, smoking, or applying cosmetics, and at the end of the work shift. Avoid contact with eyes, skin, or clothing.

### 8. EXPOSURE CONTROL AND PERSONAL PROTECTION

**Respiratory Protection (Specify Type)**

If there is a possibility that the TLVs or PELs may be exceeded, a NIOSH/MSHA approved respirator with organic vapor cartridge represents the minimum level of respiratory protection. To insure proper respirator selection and use, refer to the requirements of 29 CFR 1910.134 and the latest addition of ANSIZ 88.2.

**Ventilation**

<b>Local Exhaust:</b>	Fume hood at point of generation with sufficient exhaust
<b>Mechanical (General):</b>	Must be sufficient to remove vapors from breathing zone
<b>Protective Gloves:</b>	Solvent impermeable gloves

Duncan Enterprises Material Safety Data Sheet – OA 901 Essence

**8. EXPOSURE CONTROL AND PERSONAL PROTECTION (Continued)**

**Eye Protection:** Safety glasses or goggles  
**Other Protective Clothing Or Equipment:** Eye bath and safety shower.  
**Work/Hygienic Practices:** Wear disposable protective clothing to facilitate recovery of any materials spilled. Use adequate ventilation.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance and Odor:** Clear yellow liquid with solvent odor  
**Specific Gravity (Water = 1):** < 1  
**Boiling Point:** N/A  
**Evaporation Rate (butyl acetate = 1):** > 1  
**Melting Point:** N/A  
**Vapor Density (Air = 1):** Heavier than air  
**Vapor Pressure:** N/A  
**Water Solubility, %:** Immiscible  
**Percent Volatiles by Volume:** 100%  
**PH:** N/A

**10. STABILITY AND REACTIVITY**

**Stability**      **Unstable:**      **Stable:** X

**Conditions To Avoid**

Avoid heating substance where it may be inhaled, open flames, oxidizers and sources of ignition. Solvent vapors are heavier than air and can accumulate, travel to sources of ignition and flash back.

**Incompatibility (Materials To Avoid)**

Oxidizers such as chlorates, perchlorates, permanganates, and nitrates.

**Hazardous Decomposition or Byproducts**

Carbon dioxide, carbon monoxide, hydrochloric acid, oxides of sulfur and carbonaceous fumes.

**Hazardous Polymerization**      **May Occur:**      **Will Not Occur:** X

**Conditions To Avoid:** N/A

**11. TOXICOLOGICAL INFORMATION**

**Routes of Entry**

**Inhalation:** Yes      **Skin:** Yes      **Ingestion:** Yes

**Health Hazards (Acute and Chronic)**

Short-term liquid or vapor contact may result in slight eye irritation. Prolonged and repeated contact may be more irritating. Prolonged and repeated liquid contact can cause defatting and drying of the skin which may result in skin irritation and dermatitis. Avoid breathing vapor or spray. Solvents can act as central nervous system depressants, exhibiting narcotic and anesthetic effects. Overexposure to some of these components may cause headaches, nausea, vomiting, drowsiness, diarrhea, liver, and kidney damage.

**Carcinogenicity**      **NTP:** yes      **IARC Monographs:** yes      **OSHA Regulated:** yes

**12. ECOLOGICAL INFORMATION**

No data available

## Duncan Enterprises Material Safety Data Sheet – OA 901 Essence

### 13. DISPOSAL CONSIDERATIONS

#### Waste Disposal Method

Return accumulated residues, to refinery for metals recovery. Follow local, state and federal regulations for packaging, labeling, manifesting, transportation and disposal.

### 14. TRANSPORT INFORMATION

#### U.S. Department of Transportation Information

**DOT Shipping Name:** Consumer Commodity ORM-D  
**DOT Hazard Class:** Glazes or Stains OA/OG 88690 Sub. 1  
**U.N. Number:** 1915

### 15. REGULATORY INFORMATION

#### California Proposition 65

**WARNING:** This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

#### TSCA Certification

All chemicals in this product are listed, or are exempt from listing, on the TSCA inventory.



Products bearing the Caution Label are certified to be properly labeled in a program of toxicological evaluation by a nationally recognized toxicologist. The products are certified by the toxicologist to be labeled in accordance with the chronic hazard labeling standard ASTM D-4236.

### 16. OTHER INFORMATION

#### Table of Abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>AICS</b>	Aboriginal Independent Community Schools
<b>ANSI</b>	American National Standards Institute
<b>ASTM</b>	American Society for Testing Materials
<b>°C</b>	Degrees Centigrade
<b>CAS</b>	Chemical Abstract Service
<b>CERCLA</b>	Comprehensive Environmental Response, Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>CPR</b>	Controlled Products Regulations
<b>DOT</b>	Department of Transportation
<b>DSL</b>	Domestic Substances List
<b>ECL</b>	Education Counseling Service
<b>EINECS</b>	European Inventory of Existing Commercial Chemical Substances
<b>ENCS</b>	Existing and New Chemical Substances
<b>EPA</b>	Environmental Protection Agency
<b>°F</b>	Degrees Fahrenheit
<b>FDA</b>	Food & Drug Administration
<b>Hg</b>	Mercury
<b>HMIS</b>	Hazardous Materials Identification System
<b>IARC</b>	International Agency for Research on Cancer

## Duncan Enterprises Material Safety Data Sheet – OA 901 Essence

### 16. OTHER INFORMATION (Continued)

#### Table of Abbreviations (Continued)

<b>IATA</b>	International Air Transport Association
<b>ICAO</b>	International Civil Aviation Organization
<b>IMO</b>	International Maritime Organization
<b>LD</b>	Lethal Dose
<b>mg / kg</b>	Milligram per kilogram
<b>MITI</b>	Ministry of International Trade and Industry
<b>mm</b>	Millimeter
<b>MSDS</b>	Material Safety Data Sheet
<b>MSHA</b>	Mine Safety and Health Administration
<b>N / A</b>	Not Applicable
<b>NFPA</b>	National Fire Protection Association
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>ppm</b>	Parts per million
<b>SARA</b>	Superfund Amendment and Reauthorization Act
<b>STEL</b>	Short-Term Exposure Limit
<b>TDG</b>	Transport Dangerous Goods
<b>TSCA</b>	Toxic Substances Control Act
<b>TWA</b>	Time - Weighted Average
<b>U.N.</b>	United Nations
<b>WHMIS</b>	Workplace Hazardous Materials Information System
<b>&gt;</b>	Greater Than
<b>&lt;</b>	Less Than

**Creation Date:** 09/00  
**Revision Date:** 07/10/08  
**Technical Contact:** Frank Peters  
Senior R&D Chemist  
Duncan Enterprises  
5673 East Shields Avenue  
Fresno, CA 93727  
559-291-4444  
559-291-9444 (Fax)

#### Disclaimer

The information given and the recommendations made herein apply to our product(s) alone and not combined with any other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.